IOWA PRENATAL CARE BARRIERS PROJECT DATA FROM 2017 SURVEYS

2017 Respondents from All Hospitals in Iowa: 20,919 2017 Respondents with Babies Born in **Adair County: 160**

Demographic Indicators	State	County
Mother's Age		
Less than 18 years	01%	03%
18-19 years	03%	07%
20-25 years	25%	27%
26-30 years	36%	31%
31-35 years	26%	23%
More than 35 years	09%	09%
Mother's Ethnicity		
Hispanic	07%	04%
Non-Hispanic	93%	96%
White	90%	97%
Black	06%	02%
Asian or Pacific Islander	03%	01%
American Indian or Native Alaskan	01%	01%
Socioeconomic Indicators	State	County
Socioeconomic Indicators Mother's Education	State	County
	State 07%	County 08%
Mother's Education		-
Mother's Education Less than high school	07%	08%
Mother's Education Less than high school High school	07% 21%	08% 30%
Mother's Education Less than high school High school Some college	07% 21% 34%	08% 30% 37%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree)	07% 21% 34% 27%	08% 30% 37% 19%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income	07% 21% 34% 27% 12%	08% 30% 37% 19% 06%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000	07% 21% 34% 27%	08% 30% 37% 19%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000 \$10,000 - \$19,999	07% 21% 34% 27% 12%	08% 30% 37% 19% 06%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000 \$10,000 - \$19,999 \$20,000 - \$29,999	07% 21% 34% 27% 12%	08% 30% 37% 19% 06%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000 \$10,000 - \$19,999	07% 21% 34% 27% 12% 12% 09%	08% 30% 37% 19% 06% 18% 12% 08%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000 \$10,000 - \$19,999 \$20,000 - \$29,999 \$30,000 - \$39,999	07% 21% 34% 27% 12% 12% 09% 09% 08%	08% 30% 37% 19% 06% 18% 12% 08% 13%

Information Received in 12 Months Prior to Becoming Pregnant	State	County
Health Care Provider Talked About:		
Birth control	49%	48%
Timing of pregnancy	26%	19%
Spacing of children	11%	14%
Doctor, Nurse, or Other Health Care Provider Talked About:		
Taking folic acid or a multivitamin	44%	38%
Smoking	29%	29%
Drinking alcohol	25%	24%
Your weight	24%	23%
Regular exercise	27%	25%
How romantic relationships affect your health	10%	10%
Oral Health	23%	19%
Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant	31%	31%
Behavioral Indicators During Pregnancy	State	County
No Birth Control was Used at Time of Conception	86%	84%
Unintended Pregnancy and Did NOT Use Birth Control	70%	61%
Cigarettes Smoked During Last 3 Months of Pregnancy		
Not smoked in past 2 years	78%	72%
Zero cigarettes per day	53%	30%
1-10 per day	41%	51%
11-20 per day	05%	16%
More than 20 per day	01%	02%
Health Care Services During Pregnancy	State	County
Visited a Dentist, Dental Clinic, or Received Dental Care	56%	44%
Diagnosed with Depression During Pregnancy	03%	05%
Took Prescription Medication for Depression	48%	44%
Received Counseling for Depression During Pregnancy	30%	33%
HIV/AIDS Testing During Pregnancy		
Yes	41%	42%
No	32%	32%
No, Testing was offered, but did not want to be tested	02%	01%
Don't know	25%	25%

Received Flu Shot During Pregnancy		
Yes	65%	66%
No, Received flu shot before became pregnant	07%	03%
No, Did not want flu shot during pregnancy	12%	13%
No, Doctor said to wait until after pregnancy	01%	01%
No, Do not ever get flu shots	14%	16%
No. Flu shot was not available	02%	01%

Hospital Services	State	County
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth		
of the Baby		
Yes	84%	77%
No	13%	18%
Don't remember	02%	05%
During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other		
Healthcare Professional Provided Information or Scheduled a Time to		
Discuss:		
Action steps to decrease frustration when infant cries	45%	51%
How to lay the baby down to sleep	58%	54%
Dangers of shaking an infant	43%	47%
Did not receive any information and have not scheduled a time to discuss	30%	34%
Things that may have happened at the hospital where the birth occurred		
I breastfed my baby in the hospital	81%	72%
Hospital staff gave me information about breastfeeding	87%	82%
My baby was placed in skin-to-skin contact within the first hour of life	84%	83%
I breastfed in the first hour after my baby was born	64%	56%
Hospital staff helped me learn how to breastfeed	72%	65%
Hospital staff told me to breastfeed whenever my baby wanted	68%	61%
I am feeding my baby	94%	94%

Technical Note: Because percentages were rounded, the sum of values may not equal 100%.

For more information: Call the University of Northern Iowa Center for Social & Behavioral Research: (319) 273-2105. Data source: Iowa Barriers to Prenatal Care Project, Iowa Department of Public Health, University of Northern Iowa Center for Behavioral Research: 2018 Data.